

Computing Percentiles

Data Science and A.I. Lecture Series

Bindeshwar Singh Kushwaha

PostNetwork Academy

Reach PostNetwork Academy

Website

PostNetwork Academy | www.postnetwork.co

YouTube Channel

www.youtube.com/@postnetworkacademy

PostNetwork Academy Facebook Page

www.facebook.com/postnetworkacademy

LinkedIn Page

www.linkedin.com/company/postnetworkacademy

From the following data compute the value of P_{27} .

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i		
0		
1		
2		
3		
4		
5		
6		
7		
8		

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	
0	1	
1	9	
2	26	
3	59	
4	72	
5	52	
6	29	
7	7	
8	1	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	
0	1	
1	9	
2	26	
3	59	
4	72	
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	
1	9	
2	26	
3	59	
4	72	
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	
2	26	
3	59	
4	72	
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	
3	59	
4	72	
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	
4	72	
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	
6	29	
7	7	
8	1	
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	219
6	29	248
7	7	255
8	1	256
	N=256	

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	219
6	29	248
7	7	255
8	1	256
	N=256	

Percentile divides data set
100 equal parts.

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	219
6	29	248
7	7	255
8	1	256
	N=256	

Percentile divides data set
100 equal parts.

Computing P_{27} :

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	219
6	29	248
7	7	255
8	1	256
	N=256	

Percentile divides data set
100 equal parts.

Computing P_{27} :

We have,

$$\frac{27N}{100} = \frac{27 \times 256}{100} = 69.12$$

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	219
6	29	248
7	7	255
8	1	256
	N=256	

Percentile divides data set
100 equal parts.

Computing P_{27} :

We have,

$$\frac{27N}{100} = \frac{27 \times 256}{100} = 69.12$$

Cumulative frequency just
greater than 69.12 is 95, and
the corresponding value of
the variable is 3.

From the following data compute the value of P_{27} .

x_i	0	1	2	3	4	5	6	7	8
f_i	1	9	26	59	72	52	29	7	1

x_i	f_i	C. F.
0	1	1
1	9	10
2	26	36
3	59	95
4	72	167
5	52	219
6	29	248
7	7	255
8	1	256
	N=256	

Percentile divides data set
100 equal parts.

Computing P_{27} :

We have,

$$\frac{27N}{100} = \frac{27 \times 256}{100} = 69.12$$

Cumulative frequency just
greater than 69.12 is 95, and
the corresponding value of
the variable is 3.

Then $P_{27}=3$